

ALLURE

Single Lever Washbasin Mixer




Cod. **HB-GR5017**
Chrome



Cod. **HB-GR5017B**
Matt black



· TECHNICAL DRAWING ·



· SPECIFICATIONS ·

Single lever washbasin mixer


- Installation Type: Deck Mounted
- NEOPERL Aerator, flow rate: 12L/Min MAX at 3 bar
- Ø 25mm Ceramic Cartridge
- Tucai flexible inlet hose
- G3/8" connection
- Brass Body
- Zinc Handle
- Comply to EN817
- Pop-Up waste not included

ALLURE

High Spout Single Lever Washbasin Mixer




Cod. **HB-GR5018**
Chrome



Cod. **HB-GR5018B**
Matt black



· TECHNICAL DRAWING ·




· SPECIFICATIONS ·

High spout single lever washbasin mixer

- Installation Type: Deck Mounted
- NEOPERL Aerator, flow rate: 12L/Min MAX at 3 bar
- Ø 25mm Ceramic Cartridge
- Tucai flexible inlet hose
- G3/8" connection
- Brass Body
- Zinc Handle
- Comply to EN817
- Pop-Up waste not included

ALLURE

Wall-mounted Concealed Basin mixer




Cod. **HB-GR5010**
Chrome



Cod. **HB-GR5010B**
Matt black

· TECHNICAL DRAWING ·



· SPECIFICATIONS ·

Wall-mounted concealed single lever basin mixer

- Installation Type: Concealed
- NEOPERL Aerator, flow rate: 12L/Min MAX at 3 bar
- Ø 35mm Ceramic Cartridge
- G1/2" connection
- Zinc Handle
- Comply to EN817
- Pop-Up waste not included
- Brass concealed body included

ALLURE

Concealed shower Mixer




Cod. **HB-GR5011**
Chrome finish



Cod. **HB-GR5011B**
Matt black finish

· TECHNICAL DRAWING ·



· SPECIFICATIONS ·

Concealed single lever shower mixer

- Installation Type: Concealed
- Ø 35mm Ceramic Cartridge
- Flow rate: 23 L/Min MAX at 3 bar
- G1/2" connection
- Zinc Handle
- Comply to EN817
- Brass concealed body included

ALLURE

Concealed Bath-shower Mixer




Cod. **HB-GR5012**
Chrome finish



Cod. **HB-GR5012B**
Matt black finish

· TECHNICAL DRAWING ·



· SPECIFICATIONS ·

Concealed single lever bath-shower mixer with diverter


- Installation Type: Concealed
- Ø 35mm Ceramic Cartridge
- Diverter: Automatic, operation pressure: >1bar
- G1/2" connection
- Flow rate: 20 L/Min MAX at 3 bar
- Zinc Handle
- Comply to EN817
- Brass concealed body included

ALLURE

Wall-mounted Exposed Shower Mixer




Cod. **HB-GR5013**
Chrome finish



Cod. **HB-GR5013B**
Matt black finish

· TECHNICAL DRAWING ·



· SPECIFICATIONS ·

Wall-mounted exposed single lever shower mixer with handshower set

- Installation Type: Wall Mounted
- Handshower Flow rate: 9 L/min at 3 bar
- Ø 35 mm Ceramic cartridge
- G1/2" connection
- ABS handshower holder included
- ABS 3functions push button handshower included
- 1.5m PVC Hose included
- Brass Body
- Zinc Handle
- Comply to EN817

ALLURE

Wall-mounted Exposed Bath-Shower Mixer




Cod. **HB-GR5014**
Chrome finish



Cod. **HB-GR5014B**
Matt black finish

· TECHNICAL DRAWING ·



· SPECIFICATIONS ·

Wall-mounted exposed single lever bath-shower mixer with diverter and handshower set

- Installation Type: Wall Mounted
- Handshower Flow rate: 9 L/min at 3 bar
- Ø 35 mm Ceramic cartridge
- NEOPERL Aerator, flow rate: 19 L/min at 3 bar
- Diverter: Automatic, operation pressure: >1bar
- G1/2" connection
- ABS handshower holder included
- ABS 3 functions push button handshower included
- 1.5m PVC Silver included
- Brass Body
- Zinc Handle
- Comply to EN817